

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 27/10/2020 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	: Mixture
Product name	: VT-2760 Concrete Butyl (Manhole) Tape
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Industrial use,Professional use: Sealants

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

#### Manufacturer

Vital Technical Sdn. Bhd. No.93, Jalan Industri 3/3 Rawang Integrated Industrial Park, 48000 Rawang, Selangor, Malaysia. T +603 60942088 - F +603 60992930 sales@vitaltechnical.com

#### **1.4. Emergency telephone number**

No additional information available

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effe	ects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	s
6.1. Personal precautions, protective equipm	ent and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures :	Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment an	nd cleaning up
Methods for cleaning up : Other information :	Mechanically recover the product. Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

MAK Daily average value (mg/m³)       = 2.5 mg/m³         Belgium - Occupational Exposure Limits         Jimit value [mg/m³]       = 2 mg/m³         Denmark - Occupational Exposure Limits         Gramewaard (6 timer) (mg/m³)       = 0.3 mg/m³         Hungary - Occupational Exposure Limits         AK-érték       = 2 mg/m³         Cocupational Exposure Limits         AK-érték       = 2 mg/m³         Cocupational Exposure Limits         EL (8 hours ref) (mg/m²)       = 10 mg/m³         .atvia - Occupational Exposure Limits         DEL (8 hours ref) (mg/m²)       = 4 mg/m³         Netherlands - Occupational Exposure Limits         Gramewaarde TGG 8H (mg/m²)       = 0.25 fibers/cm³         Poland - Occupational Exposure Limits         Spain - Occupational Exposure Limits         VDS (mg/m²)       = 4 mg/m³         Spain - Occupational Exposure Limits         VLA-ED (mg/m²)       = 2 mg/m³         Jinited Kingdom - Occupational Exposure Limits         VAGir MVG) (mg/m²)       = 2 mg/m²         Jiste A ACGH - Occupational Exposure Limits         VEL TWA (mg/m²)       ≈ 1 mg/m²         Jiste A ACGH - Occupational Exposure Limits         ACGH TWA (mg/m²)       2 mg/m² (Containing no asbestos fibers. E - The value is for particulate matte	TALC (14807-96-6)	
Belgium - Occupational Exposure Limits         imit value (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> Denmark - Occupational Exposure Limits         Greenseværdi (8 timer) (mg/m <sup>2</sup> )       = 0.3 mg/m <sup>2</sup> Ungary - Occupational Exposure Limits         AK-érték       = 2 mg/m <sup>2</sup> Cocupational Exposure Limits         AK-érték       = 2 mg/m <sup>2</sup> Cocupational Exposure Limits         DEL (8 hours ref) (mg/m <sup>2</sup> )       = 10 mg/m <sup>2</sup> .atvia - Occupational Exposure Limits         DEL (WA (mg/m <sup>2</sup> )       = 4 mg/m <sup>2</sup> Netherlands - Occupational Exposure Limits         Jone Cocupational Exposure Limits         Senswarde TGG 8H (mg/m <sup>2</sup> )       = 0.25 fibers/cm <sup>2</sup> Poland - Occupational Exposure Limits         VLA-ED (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> Spain - Occupational Exposure Limits         //LA-ED (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> Sweden - Occupational Exposure Limits         Ividyardinsvarde (NVG) (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> JInited Kingdom - Occupational Exposure Limits         vidyardinsvarde (NVG) (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> JSA - ACGH - Occupational Exposure Limits         vidyardinsvarde (NVG) (mg/m <sup>2</sup> )       = 1 mg/m <sup>2</sup> JSA - ACGH - Occupational Exposure Limits      <	Austria - Occupational Exposure Limits	
Linit value [mg/m <sup>2</sup> ]       = 2 mg/m <sup>2</sup> Denmark - Occupational Exposure Limits       = 0.3 mg/m <sup>2</sup> Hungary - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> KK-6rt6k       = 2 mg/m <sup>2</sup> reland - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> DEL (8 hours ref) (mg/m <sup>2</sup> )       = 10 mg/m <sup>2</sup> .atvia - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> DEL TWA (mg/m <sup>2</sup> )       = 4 mg/m <sup>2</sup> veltoriand - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> Occupational Exposure Limits       = 2 mg/m <sup>2</sup> Veltoriand - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> Veltoriand - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> Spain - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> VLA-ED (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> Spain - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> vivágransvárde (NVG) (mg/m <sup>2</sup> )       = 2 mg/m <sup>2</sup> Jnited Kingdom - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> vivágransvárde (NVG) (mg/m <sup>2</sup> )       = 1 mg/m <sup>2</sup> JSA - ACGIH - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> vivágransvárde (NVG) (mg/m <sup>2</sup> )       = 1 mg/m <sup>2</sup> JSA - ACGIH - Occupational Exposure Limits       = 2 mg/m <sup>2</sup> vivágransvárde (NVG) (mg/m <sup>2</sup>	MAK Daily average value (mg/m³)	≈ 2.5 mg/m³
Denmark - Occupational Exposure Limits           Grænseværdi (8 timer) (mg/m²)         < 0.3 mg/m²	Belgium - Occupational Exposure Limits	
Graenseværdi (8 timer) (mg/m²)       = 0.3 mg/m³         Hungary - Occupational Exposure Limits       = 2 mg/m³         AK-érték       = 2 mg/m³         reland - Occupational Exposure Limits       = 10 mg/m³         DEL (8 hours ref) (mg/m³)       = 10 mg/m³         Latvia - Occupational Exposure Limits       = 4 mg/m³         DEL TWA (mg/m³)       = 4 mg/m³         Vetherlands - Occupational Exposure Limits       = 0.25 fibers/cm³         Occupational Exposure Limits       = 0.25 fibers/cm³         Poland - Occupational Exposure Limits       = 4 mg/m³         Spain - Occupational Exposure Limits       = 2 mg/m³         Spain - Occupational Exposure Limits       = 2 mg/m³         Sweden - Occupational Exposure Limits       = 2 mg/m³         Jinted Kingdom - Occupational Exposure Limits       = 2 mg/m³         Jinted Kingdom - Occupational Exposure Limits       = 2 mg/m³         Jinted Kingdom - Occupational Exposure Limits       = 2 mg/m³         Jointed Kingdom - Occupational Exposure Limits       = 1 mg/m³         Local name       Taic         ACGIH TWA (mg/m³)       1 faic         ACGIH TWA (mg/m³)       0.1 fibers/cm³ (Containing asbestos fibers. E - The value is for particulate matter)         2 mg/m³ (Containing asbestos fibers. F - Respirable particulate matter)       2 mg/m³ (C	Limit value [mg/m³]	≈ 2 mg/m³
Hungary - Occupational Exposure Limits         XK-ériék       ≈ 2 mg/m³         reland - Occupational Exposure Limits         DEL (8 hours ref) (mg/m³)       ≈ 10 mg/m³         .atvia - Occupational Exposure Limits         DEL TVVA (mg/m³)       ≈ 4 mg/m³         Vetherlands - Occupational Exposure Limits         Grenswaarde TGG 8H (mg/m³)       ≈ 0.25 fibers/cm³         Poland - Occupational Exposure Limits         Soland - Occupational Exposure Limits         VDS (mg/m³)       ≈ 4 mg/m³         Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         ivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         voccupational Exposure Limits         voccupational Exposure Limits         ivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         voccal name       Talc         ACGiH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter)         2 mg/m³ (Containing asbestos fibers. F - Respirable particulate matter)       2 mg/m³ (Containing asbestos fibers. F - Respirable particulate matter)         ACGiH TWA (mg/m³)       0.1 fibers/cm² (Containing asbestos fibers. F - Respirable part	Denmark - Occupational Exposure Limits	
AK-érték       = 2 mg/m³         reland - Occupational Exposure Limits         DEL (8 hours ref) (mg/m³)       = 10 mg/m³	Grænseværdi (8 timer) (mg/m³)	≈ 0.3 mg/m³
reland - Occupational Exposure Limits         DEL (8 hours ref) (mg/m <sup>3</sup> )       ≈ 10 mg/m <sup>3</sup> .atvia - Occupational Exposure Limits         DEL TWA (mg/m <sup>3</sup> )       ≈ 4 mg/m <sup>3</sup> Netherlands - Occupational Exposure Limits         Srenswaarde TGG 8H (mg/m <sup>3</sup> )       ≈ 0.25 fibers/cm <sup>3</sup> Poland - Occupational Exposure Limits         Spain - Occupational Exposure Limits         VLA-ED (mg/m <sup>3</sup> )       ≈ 4 mg/m <sup>3</sup> Spain - Occupational Exposure Limits         VLA-ED (mg/m <sup>3</sup> )       ≈ 2 mg/m <sup>3</sup> Sweden - Occupational Exposure Limits         VLA-ED (mg/m <sup>3</sup> )       ≈ 2 mg/m <sup>3</sup> Sweden - Occupational Exposure Limits         VLA-ED (mg/m <sup>3</sup> )       ≈ 2 mg/m <sup>3</sup> Sweden - Occupational Exposure Limits         NVdgränsvärde (NVG) (mg/m <sup>3</sup> )       ≈ 2 mg/m <sup>3</sup> Jnited Kingdom - Occupational Exposure Limits         .occal name       Talc         ACGIH - Occupational Exposure Limits         .ocal name       Talc         ACGIH TWA (mg/m <sup>3</sup> )       2 mg/m <sup>3</sup> (Containing no asbestos fibers. E - The value is for particulate matter ontaining no asbestos fibers. R - Respirable particulate matter)         .2 mg/m <sup>3</sup> (Containing asbestos fibers. R - Respirable particulate matter)         .2 mg/m <sup>3</sup> (Containing asbestos fibers. F - Respirable particulate matter) <td>Hungary - Occupational Exposure Limits</td> <td>·</td>	Hungary - Occupational Exposure Limits	·
DEL (8 hours ref) (mg/m³)       ≈ 10 mg/m³	AK-érték	≈ 2 mg/m <sup>3</sup>
Latvia - Occupational Exposure Limits         DEL TWA (mg/m³)       = 4 mg/m³         Vetherlands - Occupational Exposure Limits         Grenswaarde TGG 8H (mg/m³)       = 0.25 fibers/cm³         Poland - Occupational Exposure Limits         VDS (mg/m³)       = 4 mg/m³         Spain - Occupational Exposure Limits         V/LA-ED (mg/m³)       = 2 mg/m³         Sweden - Occupational Exposure Limits         v/LA-ED (mg/m³)       = 2 mg/m³         Sweden - Occupational Exposure Limits         nivågränsvärde (NVG) (mg/m³)       = 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         v/LA-ED (mg/m³)       = 1 mg/m³         Jnited Kingdom - Occupational Exposure Limits         vocal name       Talc         ACGIH - Occupational Exposure Limits         .ocal name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. F - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. F - Respirable fibers)         ACGIH TWA (ppm)       0.1 fiber	Ireland - Occupational Exposure Limits	
DEL TWA (mg/m³)       ≈ 4 mg/m³         Netherlands - Occupational Exposure Limits         Grenswaarde TGG 8H (mg/m³)       ≈ 0.25 fibers/cm³         Poland - Occupational Exposure Limits         VDS (mg/m³)       ≈ 4 mg/m³         Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivågrånsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         .occal name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing no asbestos fibers. F - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing no asbestos fibers. F - Respirable fibers)	OEL (8 hours ref) (mg/m <sup>3</sup> )	≈ 10 mg/m³
Netherlands - Occupational Exposure Limits           Grenswaarde TGG 8H (mg/m³)         = 0.25 fibers/cm³           Poland - Occupational Exposure Limits         Poland - Occupational Exposure Limits           NDS (mg/m³)         = 4 mg/m³           Spain - Occupational Exposure Limits         //LA-ED (mg/m³)           //LA-ED (mg/m³)         = 2 mg/m³           Sweden - Occupational Exposure Limits         * 2 mg/m³           //LA-ED (mg/m³)         = 2 mg/m³           Sweden - Occupational Exposure Limits         * 1 mg/m³           Jnited Kingdom - Occupational Exposure Limits         * 1 mg/m³           VEL TWA (mg/m³)         = 1 mg/m³           JSA - ACGIH - Occupational Exposure Limits         * 1 mg/m³           Local name         Talc           ACGIH TWA (mg/m³)         2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	Latvia - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m³)       ≈ 0.25 fibers/cm³         Poland - Occupational Exposure Limits         NDS (mg/m³)       ≈ 4 mg/m³         Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivågrånsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)       2 mg/m³ (Containing asbestos fibers. R - Respirable fibers)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable fibers)         Remark (ACGIH)       Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pulm fibrosis; lung cancer; mesothelioma.	OEL TWA (mg/m³)	≈ 4 mg/m³
Poland - Occupational Exposure Limits         NDS (mg/m³)       ≈ 4 mg/m³         Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivágránsvárde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter) a mabestos fibers. R - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable fibers)         Remark (ACGIH)       Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	Netherlands - Occupational Exposure Limits	·
NDS (mg/m³)       ≈ 4 mg/m³         Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)       2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable particulate matter)         Remark (ACGIH)       Containing no asbestos fibers = TLV® Basis: Pnumoconiosis; lung cancer; mesothelioma.	Grenswaarde TGG 8H (mg/m³)	≈ 0.25 fibers/cm³
Spain - Occupational Exposure Limits         /LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos fibers. R - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable particulate matter)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable fibers)         Remark (ACGIH)       Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	Poland - Occupational Exposure Limits	
/LA-ED (mg/m³)       ≈ 2 mg/m³         Sweden - Occupational Exposure Limits         nivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos fibers. R - Respirable particulate matter)         2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)       2 mg/m³ (Containing asbestos fibers. F - Respirable fibers)         ACGIH TWA (ppm)       0.1 fibers/cm³ (Containing no asbestos fibers. F - Respirable fibers)         Remark (ACGIH)       Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	NDS (mg/m³)	≈ 4 mg/m³
Sweden - Occupational Exposure Limits         nivågränsvärde (NVG) (mg/m³)       ≈ 2 mg/m³         Jnited Kingdom - Occupational Exposure Limits         WEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	Spain - Occupational Exposure Limits	·
nivågränsvärde (NVG) (mg/m³)≈ 2 mg/m³United Kingdom - Occupational Exposure LimitsWEL TWA (mg/m³)≈ 1 mg/m³JSA - ACGIH - Occupational Exposure LimitsLocal nameTalcACGIH TWA (mg/m³)2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter) 2 mg/m³ (Containing asbestos fibers. F - Respirable particulate matter)ACGIH TWA (ppm)0.1 fibers/cm³ (Containing no asbestos fibers. F - Respirable fibers)Remark (ACGIH)Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	VLA-ED (mg/m³)	≈ 2 mg/m³
Jnited Kingdom - Occupational Exposure Limits         NEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	Sweden - Occupational Exposure Limits	
WEL TWA (mg/m³)       ≈ 1 mg/m³         JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	nivågränsvärde (NVG) (mg/m³)	≈ 2 mg/m³
JSA - ACGIH - Occupational Exposure Limits         Local name       Talc         ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	United Kingdom - Occupational Exposure Limits	·
Local nameTalcACGIH TWA (mg/m³)2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter) 2 mg/m³ (Containing asbestos fibers. R - Respirable particulate matter)ACGIH TWA (ppm)0.1 fibers/cm³ (Containing asbestos fibers. F - Respirable fibers)Remark (ACGIH)Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	WEL TWA (mg/m³)	≈ 1 mg/m³
ACGIH TWA (mg/m³)       2 mg/m³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	USA - ACGIH - Occupational Exposure Limits	
no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)	Local name	Talc
Remark (ACGIH)     Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4       Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	ACGIH TWA (mg/m³)	no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)
Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.	ACGIH TWA (ppm)	0.1 fibers/cm <sup>3</sup> (Containing asbestos fibers. F - Respirable fibers)
	Remark (ACGIH)	Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma.
Regulatory reference ACGIH 2020	Regulatory reference	ACGIH 2020

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CALCIUM CARBONATE (471-34-1)		
France - Occupational Exposure Limits		
VME [mg/m³]	≈ 10 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	≈ 10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	≈ 6 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	≈ 10 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	≈ 10 mg/m³	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	≈ 3 mg/m³	

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses	
8.2.2.2. Skin protection	
Skin and body protection:	
Wear suitable protective clothing	

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Light grey.
Odour	: No data available
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: Not applicable
Relative density	: ≈ 1.91
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological info	rmation
11.1 Information on toxicological e	ffects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
	pH: Not applicable
Serious eye damage/irritation	: Not classified
	pH: Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
VT-2760 Concrete Butyl (Manhole)	Таре
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.</li> <li>Not classified</li> <li>Not classified</li> </ul>
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number		· · · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
I4.2. UN proper shipping	g name	· · · · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard c	lass(es)	· · · · · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards	· ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available	11		

#### 14.6. Special precautions for user

Overland transport Not regulated Transport by sea Not regulated Air transport Not regulated Inland waterway transport Not regulated Rail transport Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.1.2. National regulations

Germany	
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	<ul> <li>Z(1) - non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioacumulative potential/ toxicity or persistence)</li> </ul>
SZW-lijst van kankerverwekkende stoffen	None of the components are listed
SZW-lijst van mutagene stoffen	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
15.2 Chomical safety assessment	

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.